State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

# High Capacity, School or Wastewater Treatment Plant Well Approval Application

Form 3300-256 (R 7/05)

MAR 1 3 2014

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative while Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

	er in the state of
Applicant Information	
Application Prepared By (Name and Title)	Company
TIM BUTTERFIELD - OWNER	City State ZIP Code
395 REED STREET Telephone Number Fax Number	Somerset W1 54025 E-Mail Address
ii 💮	
715- 247-4873 715-247-1	2103 timetimbutterfielddrilling.co
Property owner, if different than applicant (Name of Person and Title)	Company
Fall line Farms/FIF HERRMAN LL	C
Street Address	City State ZIP Code
1195 B Street	SAN 11 1 ATEO CA 94401
Telephone Number Fax Number	E-Mail Address
Well Operator Information	
Well operator if different than owner (Name of Person and Title)	Company
Byan Thoten	HIF HERRMAN LLC
Street Address	City D State ZIP Code
326 South Wisconsin Ave	RICE LAKE WI 54868
Telephone Number Fax Number	E-Mail Address
507-993-1804	ryane-fall-line-farms.com
Property Information	
property at the time of application, enter "NONE." NOTE: Find the file nur or use the compact disk of departmental well data that is issued to drillers	y a high capacity property. If the property is not designated as a high capacity mber in upper right hand corner of the most recent high capacity well approval, and pump installers. On the compact disk, see "File location" in red print in hty) - (1 digit for well classification) - (1 to 4 digits for assigned property no.).
County	High Capacity Well File No.
Darron Stanfo	1d NONE
Submittal Purpose	18 I NONC
Check all that apply:	
Install one or more new wells with a capacity greater than 70	gallons per minute
Install one or more new wells with a capacity less than 70 gal	
Replace one or more wells with a capacity greater than 70 ga	
Replace one or more wells with a capacity less than 70 gallor	Contract Con
Reconstruct one or more wells with a capacity greater than 70	
Reconstruct one or more wells with a capacity greater than 70 gr	
Increase pumping rate in one or more wells to a rate greater to	
	(A) (A) (A) (A)
Request continued operation of high capacity wells after a ch	ange in ownersnip. (No application fee required.)
Renew a previous approval that has expired.	
Well (or wells) will serve a school or wastewater treatment pla	ant. See definitions on page 5.
Other, explain	

### Site Status Information

Determine the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers and the information supplied by the property owner. Internet address is <a href="mailto:dry.wi.gov/org/water/dwg/dws.htm">dry.wi.gov/org/water/dwg/dws.htm</a>. Enter YES or NO for each of the following questions.

YES	NÓ.	Has the property boundary changed since the most recent high capacity well approval was issued? If the property is not yet a high capacity property, check NO.						
	X	Has there been a change in well ownership since the last approval was written?  If YES, name of current owner:  Date of purchase:						
	図	Has there been a change in well operator since the last approval was written?  If YES, name of current operator:  Date of change:						
	X	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.						
	Ø	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections.  If YES, list the landfill site ID Number:  Landfill location: (Township/Range/Section)						
		OR Landin location. (Township/Range/Section)						
	凶	Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed:						
	X	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:						
	Ø	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at <a href="maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts">maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts</a> . If YES, list the BRRTS Number here:						
	Ø	Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5.						
	又	Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.						
	区	Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?						
	内	Has the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high capacity property, check NO.						
	凶	Is a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?						
	X	Will the well discharge directly to a storage pond?						
	区	Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?						
	区	Is a proposed well within 1,200 feet of a quarry?						
	区							
	X	Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?						
	X	Will the well be used as a source of bottled water?						
	区	Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well construction standards?						
	X	Is the property served by a community water system?						

Existing Well Information																
Enter the following information on	all exist	ing we	ells on t	he į	prope	rty, if m	ore th	an four	wells	submi	additi	onal s	heet	5:		
Well Name Assigned by Well Owner (North Well, etc.):	1	ONE									•	***************************************				
Well Number Assigned by Owner (001, 002, etc.):		)														
WI Unique Well Number or NA if no number:			***************************************									····			***************************************	
Permanent DNR High Capacity Well Number or N/A if none:							***************************************									***************************************
Public Water System ID Number, if Public (if not public, NONE):								•				·				
Potable or Non-Potable Use:									<b>†</b>							<del></del>
Type of Well (Irrigation, Industrial, Residential, etc.):	1							******								
Requested Average Water Usage per Day in Gallons:			·····									,				
Requested Maximum Water Usage per Day in Gallons:						•										
Seasonal? (April to October, Year Around, etc.):				***************************************			٠					······				
Approved Pumping Capacity if Previously Approved (gpm):							·									
Current Pump Type & Capacity (gpm):																
Proposed Pump Type & Capacity If Change Requested (gpm):			· · ·													
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):							***************************************					,				
Discharge Location (Building Pressure Tank, Pond, etc.):									<u> </u>	•						
Height of Well Casing Above Ground in Inches:																
Potential Contaminant Sources and Distance:				***************************************			***************************************									~~~
Well Loc: Quarter Quarter Section		1/4 of		1/4		1/4	of	1/4		1/4 c	of	1/4		1/4 (	of	1/4
or Government Lot Number					1											
Section or French Long Lot No.					<u> </u>							•			V	
Township:	Т	\$4)		N	T		***************************************	N	Т			N	Т			N
Range (Select E or W):	R		□E [	Jw	R		Пе		<del>                                     </del>	**************	ПΕ	Пw	<del>                                     </del>		ПЕ	Пw
Latitude (Degrees and Minutes)		0		,		0		1		0		,		0	<u> </u>	'
Longitude (Degrees and Minutes)		0		•		0		1		0		•		0		,
GPS Map Datum (WGS84, WTM91, etc.)																
Include as much of the following inform well construction record is attached, ap	nation as population	practica ay leav	al for we	lls ti llow	nat do ing ro	not have ws blank	e well c	onstruc	tion red	cords att	ached t	o the a	applic	ation, ho	wever if	the
Date of Construction:																
Drilled by (Name of Drilling Firm):																
Drilling Method(s) (Rotary, Percussion, Etc.)			4700													
Well Depth in Feet:																
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:	inc	hes,	1	eet		inches,		feet		nches,	***************************************	feet		inches,		feet
Lower Drillhole Diameter in Inches and Depth in Feet:		hes,		feet		inches,		feet		nches,		feet		inches,	·	feet
Well Casing Diameter in Inches and Depth in Feet:		hes,		eet		inches,		feet		nches,		feet		inches,		feet
Well Casing Material and Wall Thickness:											•	.550	o		<del></del>	1001
Annular Space Material Between Casing and Drillhole Wall:																
Is There a Well Screen (Y or N) If so, Screen Material?:				•										T-11/1/10/10/10/10/10/10/10/10/10/10/10/10		

Proposed Well Information						
Enter the following information on all	proposed wells on the property, it	f more than two wells	or alternate cons	struction, submit ac	Iditional shee!	ts:
Well Name Assigned by Well Owner (North Well, etc.):	WELL 1-	Stanfold/	Emmer	LField		
Well Number Assigned by Owner (001, 002, etc.):	1					
Well Loc: Quarter Quarter Section or French Long Lot Number	1/4 of 1/4 of	f Section 20	1/4 o	f 1/4 of 3	Section	
or Government Lot Number						
Township & Range (Select E or W)	T 35 N.R 12	□e <b>⊠</b> w	Т	N, R	□E [	$\square_{W}$
Latitude (Degrees and Minutes)	45 · 3D	8.801		· · · · · · · · · · · · · · · · · · ·		ı
Longitude (Degrees and Minutes)	=91 0 52	38.627				ı
GPS Map Datum (WGS84, WTM91, etc.)						
Type of Well (Irrigation, Industrial, Residential, etc.):	Type Irrigation	Potable Non-Potable	Туре:		Potable Non-Pota	able
Drilling Method(s) (Rotary, Percussion, Etc.):	Dual Botor	~ <b>·</b> /				
Anticipated Geological Materials and D						
Material and Depth Interval:	Sand Grandfrom	0' to 140 '		from	0 ' to	1
Material and Depth Interval:	from	' to		from	' to	1
Material and Depth Interval:	from	' to '		from	' to	٠
Material and Depth Interval:	from	' to '		from	' to	,
Material and Depth Interval:	from	' to '		from	' to	,
Drillhole Diameter and Anticipated Dep	L	V.100	Laurantina			
Diameter and Depth Interval:	12 tr from	0 to 140 .		from	' to	
Diameter and Depth Interval:	from	' to '		from	' to	•
Diameter and Depth Interval:	from	' to '		from	' to	1
Permanent Casing or Liner Diameter a	and Wall Thickness at Anticipated D	epth Intervals:	1			
Diameter and Wall Thickness at Depth Interval:	12 "diam/ .375 " thick	0' to 110 '	" diam/	" thick	0 ' to	•
Diameter and Wall Thickness	" diam/ " thick	' to '	" diam/	" thick	' to	
at Depth Interval: Permanent Casing or Liner Material, I		10	<u> </u>	RIICA	10	
Casing Joints (Welded, T and C,	Welded	J				
etc.) Material and Weight		£				
at Depth Interval:	Steel 1 50 lbs/foo	t 0' to //0'		/ lbs/foot	0' to	
Material and Weight at Depth Interval:	/ lbs/foo	t 'to '		/ lbs/foot	' to	•
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:	Stainless steel 12"	/ 10 ' to 114		1 "1	' to	
Casing to Screen Joint (Welded, T and C, K Packer, etc.)	K-Preker					
Annular Space Material Including Filte	r Pack Material, If Used:		•			
Material and Depth Interval:		0' to '		1	0' to	,
Material and Depth Interval:	1	' to '			¹ to	
Proposed Average Water Usage Per Day in Gallons:	1,008,000	NATIONAL PROPERTY OF THE PROPE				
Proposed Maximum Water Usage Per Day in Gallons:	1.152,000					
Seasonal? (April to October, Year Around, etc.):	Beasonal					
Proposed Pump Type & Capacity (gpm):	Submersible 7	00 gem_				
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	Over top of Ca	usina				
Discharge Location (Building Pressure Tank, Pond, etc.):	Center Pive	nt a				
Distance and Direction to Nearest Public Utility Well & Well Name:						
Distance to Other Potential Contaminant Sources:					200 TO 1 TO 1	
Distance to Other Potential Contaminant Sources:						
Leave Blank, for Department use only	/					

#### **Required Attachments**

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
  - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
  - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

#### **Certification and Applicant Signatures**

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

LI PA 1	Oh . h D				
Name - Print	Check Box				
TIM BUTTERFIELD	Owner Agent of the Owner				
The state of the s	TIM BUTTERFIELD DRILLING 3/6/14				
	nent with all required attachments to DNR, Private Water Systems				
Definitions from Wisconsin Administrative Codes					

"High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]



## Tim Butterfield Drilling 395 Reed St. Somerset, WI 54025

Farm: FIF Herrman LLC Emmert Field

Grower: 2/14/2014

